Atty Dkt. No. 112780-053

REMARKS

The non-final Office Action was issued on pending claims 1-8. Claims 1-8 stand rejected. In this Response, claims 1, 3-6 and 8 have been amended, claims 2 and 7 have been cancelled without prejudice and claim 9 has been added. Thus, claims 1, 3-6, 8 and 9 are pending in the application.

Applicants invite the Examiner to call Applicants' Representative to discuss any issues with this application.

Priority

The Office Action at page 2 asserts that a copy of PCT/JP2004/144827 was not submitted with the filing of this application. However, a copy of the PCT application (publication no. WO 2005/035883) was submitted with the filing of the application. The designated states are listed on the back side of the first page and include US as a designated state. Applicants submit another copy of just the front and back sides of the first page of WO '883 (PCT '827) as requested in the Office Action.

Thus, Applicants submit the present application should be granted §371 status.

Specification

The Office Action at page 2 requests references to specific claims in the specification be deleted.

In response, the specification has been amended at paragraphs [0023], [0029], [0031], [0033] and [0038] and paragraph [0037] has been deleted to remove the references to specific claims.

Thus, Applicants submit that the objections to the specification have been overcome.

Aπy Dkt. No. 112780-053

Claim Rejections - 35 USC §112

At page 2 of the Office Action, claims 1-8 were rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which Applicant regards as the invention.

In response, claims 1, 3-6 and 8 have been amended to clarify the claims. Also, claims 2 and 7 have been cancelled without prejudice. Thus, Applicants submit the claims are clear and definite. The specification has been amended to be consistent with the amended claims.

Therefore, Applicants submit the §112, second paragraph, rejections should be withdrawn.

Double Patenting

The Office Action at page 2 asserts that should claim 4 or claim 5 be found allowable, claim 7 or claim 6 respectively would be objected to under 37 CFR §1.75 as being a substantial duplicate thereof. Applicants respectfully disagree.

Never-the-less, claims 5 and 6 have been amended to clarify the claims. Amended claims 5 and 6 are different embodiments of claim 4 and are clearly not substantial duplicates. Further, claim 7 has been cancelled without prejudice. Thus, Applicants submit the double patenting objection should be withdrawn.

Allowable Claims

At page 5 of the Office Action, claims 3 and 8 were noted as being allowable if rewritten to overcome the rejections under 35 U.S.C. §112, second paragraph, and to include all of the limitations of the base claim and any intervening claims. Applicants thank the Examiner for the notice of allowable claims.

Atty Dkt. No. 112780-053

New independent claim 9 has been added. Claim 9 contains features of amended claim 1 except the features of claim 2 are omitted. Claim 9 also includes the features of allowable claim 8.

Thus, Applicants submit claim 9 is allowable.

Claim Rejections - 35 USC §102, 103

At pages 3 and 4 of the Office Action, claim 1 was rejected under 35 U.S.C. §102(b) as being anticipated by, or in the alternative, under 35 U.S.C. §103 as obvious over Saotome (US 4,995,517); using Yamashita (US 5,752,546). At pages 4 and 5 of the Office Action, claims 2 and 4-7 were rejected under 35 U.S.C. §103 as being unpatentable over Saotome in view of Eiji et al. (JP 06-330535). Applicants respectfully disagree.

As to the §102(b), or in the alternative §103, rejection of claim 1, claim 1 has been amended to include features from dependent claim 2, and claim 2 has been cancelled without prejudice. Claim 2 was not rejected under §102(b). Therefore, Applicants submit that the §102(b), or in the alternative §103, rejection of claim 1 should be withdrawn.

As to the §103 rejection of claim 2, independent claim 1 has been amended to include features from claim 2 and claim 2 has been cancelled. Amended claim 1 calls for "the ride valve body is disposed on the bucket valve body in a laminated manner, the ride control valve 31B and the directional control valve are connected through an internal piping in the ride valve body and the bucket valve body, the travel vibration suppressing device comprises a first pressure sensor 81 for detecting a load pressure of the actuator 11, and a communication opening area of the ride control valve 31B which communicates between the accumulator 27 and the pressure chamber is controlled on a basis of a detected signal from the first pressure sensor 81." The reference numbers inserted into the claim text are for reference purposes to the examples of Applicants' invention and are not intended to limit the claims. These features of claim 1 are not shown, described or suggested by Saotome or Eiji et al. or Yamashita.

As to Saotome, Saotome describes an accumulator 53 which communicates with a boom lift cylinder 50 through a switch valve 42 to provide switching from a state of communication to a state of communication through a check valve. However, Saotome does not have the feature of

Atty Dkt. No. 112780-053

a cutoff of the communication between the accumulator 53 and the boom lift cylinder 50. Furthermore, Saotome does not have a pressure sensor which detects a load pressure of the boom lift cylinder 50. Accordingly, the present invention is quite different from Saotome.

EVEREST IP LAW GROUP

As to JP '535, JP '535 uses a pressure differential before and after a variable throttle 8a to control the amount of opening of the variable throttle 8a. On the contrary, in the present invention, the pressure at the actuator 11 is adjusted by way of communication between ports rather than control by an opening of a valve at a stroke position. Thus, the adjustment feature of Applicants' invention is quite different from JP '535.

As to Yamashita, Yamashita merely has a laminated body. Yamashita does not describe, show or suggest a travel vibration suppressing device.

As to new claim 9 (amended claim 1, the features of claim 2 being omitted, and with features of allowable claim 8), the travel vibration suppressing device comprises "a speed increasing valve for increasing a supply amount of the pressure oil from the hydraulic pump to the actuator, the speed increasing valve is constructed in a speed increasing valve body, the speed increasing valve is disposed on the ride valve body or the bucket valve body in a laminated manner, and the speed increasing valve and the ride control valve or the directional control valve are connected through the internal piping in each body and/or an external piping outside of each body." These features are not described, shown or suggested by any of the cited references.

Furthermore, due to the speed increasing valve of claim 9, it is possible to circulate a supply flow rate and a discharge flow rate with respect to the actuator from the speed increasing valve disposed in a laminated manner. See the specification at paragraph [0038]. Because it is possible to alternatively control part of the flow rate of the pressure oil supplied to and discharged from the actuator by the speed increasing valve, it is possible to mount the travel vibration suppressing device in accordance with the present invention on middle-scaled and large-scaled working vehicles, so as to achieve an excellent vibration suppressing effect. These effects are not expected from any of the cited references.

Moreover, none of the cited references describe, show or suggest Applicants' speed increasing valve body disposed on the bucket valve body in a laminated manner, and the ride Appl. No. 10/575,000

Response to Office Action mailed June 18, 2007

Atty Dkt. No. 112780-053

control valve and the directional control valve connected through the internal piping in the ride valve body and the bucket valve body, as claimed in claim 9.

Applicants' claimed invention can provide remarkable effects. See the specification at paragraphs [0029] and [0030]. Such remarkable effects are not expected from any of the cited references.

Consequently, the features of Applicants' invention recited in claims 1 and 9 are not disclosed or suggested by any of the cited references. Therefore, independent claims 1 and 9 are allowable over the cited references. The dependent claims are allowable at least for the reasons that independent claim I is allowable.

Thus, Applicants submit that the §103 rejections should be withdrawn in addition to withdrawal of the §102 rejections.

CONCLUSION

For the foregoing reasons, Applicants submit that the patent application is in condition for allowance and request a Notice of Allowance be issued.

Respectfully submitted,

EVEREST INTELLECTUAL PROPERTY LAW GROUP

Date: September 18, 2007

Michael S. Leonard, Reg. No. 37,557

P.O. Box 708

Northbrook, IL 60065 Phone: (847) 272-3400

(12)特許協力条約に基づいて公開された国際出願

EVEREST IP LAW GROUP

(19) 世界知的所有権機関 国際事務局



INTERNIT A TOTANI QUELI BURB RUBILI DUR TA RA FORTER RERE LAFAL BOTTO COLOCI AND FLUKELI ALD TOTA COTAL

(43) 国際公開日 2005年4月21日(21.04.2005)

PCT

(10) 国際公開番号 WO 2005/035883 A1

(51) 国原特許分類?:

(21) 国際出願番号:

E02F 9/22, F16F 15/02

PCT/JP2004/014827

(22) 国際出願日:

2004年10月7日(07.10.2004)

(25) 国際出額の言語:

日本語

(26) 国際公開の旨語:

日本語

(30) 優先権データ: 特願 2003-351449

2005/035883 A1

2003年10月10日(10.10.2003)


(71) 出願人(米国を除く全ての指定国について): 株式会社 小松製作所 (KOMATSU LTD.) [JP/JP]; 〒1078414 東 京都港区赤板二丁目 3 番 8 号 Tokyo (JP).

(72) 発明者; および

(75) 発明者/出願人 *(*米国についてのみ): 溝口 周秀 (MI-ZOGUCHI, Norihide) [IP/JP]; 〒3238558 栃木県小山 市横倉新田400 株式会社小松製作所小山工場内 Tochigi (JP). 法田 身士 (ASADA, Elisashi) [JP/JP]; 〒 3238558 栃木県小山市概念新田400 株式会社小松 製作所小山工場内 Tochigi (JP). 小塚 大輔 (KOZUKA, Daisuke) [JP/JP]; 〒3238558 栃木県小山市横倉新田 400株式会社小松製作所小山工場内 Tochigi (JP). 地井 和則 (TKE), Kazunori) [JP/JP]; 〒3238558 栃木県 小山市横倉新田 4 0 0 株式会社小松製作所小山工 場内 Tochigi (JP). 穩勞司 (HORI, Shunji) [JP/JP]; 〒 3238558 栃木県小山市横倉新田400 株式会社小松 製作所小山工場内 Tooldgi (JP).

【铙菜有】

- (54) Title: TRAVEL VIBRATION SUPPRESSING DEVICE FOR WORKING VEHICLE
- (54) 発明の名称: 作業車両の走行振動抑制装置



(57) Abstract: A travel vibration suppressing device (20) has a directional control valve (30) for a bucket, a directional control valve (29) for a boom, a ride control valve (31), and a boom speed increasing valve (33) that are integrally layered on each other with internal piping. A bottom chamber (11a) of a boom cylinder (11) and an accumulator (27) are communicated or shut off from each other by the ride control valve (31). The boom speed increasing valve (33) is capable of feeding a discharge pressure from a hydraulic pump (21) to the bottom chamber (11a) or a head chamber (11b), and is also capable of connecting the bottom chamber (11a) or the head chamber (11b) to a tank (23).

(57) 契約: 走行振動抑制装置20は、パケット用 方向制御弁30、ブーム用方向制御弁29、ライ ドコントロール弁31及びブーム増連弁33が内部 配管により一体に積層配設された構成となってい る。ライドコントロール弁31によりブームシリ ンダ11のボトム室11aとアキュムレータ27と の遠通又は遮断を行う。ブーム増速弁33は、ポト ム室11a又はヘッド室11bに油圧ポンプ2 Tの 吐出圧を供給したり、ポトム窒11a又はヘッド室 11bをタンク23に接続させることができる。

PAGE 18/19 * RCVD AT 9/18/2007 6:50:35 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-5/19 * DNIS:2738300 * CSID:18472723417 * DURATION (mm-ss):03-16

WO 2005/035883 A1

EVEREST IP LAW GROUP

- (74) 代理人: 野口 贫男 . 外(NOGUCHI, Takeo et al.); 〒 1010063 東京都千代田区神田談路町2丁目10番 14号 ばんだいビル むつみ国際特許事務所 Tokyo (JP).
- (81) 指定国(表示のない限り、全ての種類の国内保護が 可能): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, . DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS. LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) 指定国(表示のない限り、全ての種類の広域保護が可 能): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD. SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), = - - y/(AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BP, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

添付公開書頭: - 国際調査報告告

2文字コード及び他の略語については、定期発行される 各PCTガゼットの巻頭に掲載されている「コードと略語 のガイダンスノート」を参照。